

# raw2tif

## Table of contents

1 Synopsis.....	2
2 Prerequisites.....	2
3 Configuration.....	2
4 Description.....	2

## 1. Synopsis

Convert original files in raw-format to tif. Ufraw must support your raw-format.

## 2. Prerequisites

None.

## 3. Configuration

### **ORIG\_DIR**

Directory for original images. Defaults to `$TARGET_DIR/orig`.

### **IMG\_DIR**

Working directory. Defaults to `$TARGET_DIR/work`. This module creates it's output files in this directory.

### **UFRAW\_OPTS**

Additional options for ufraw.

### **UFRAW\_CONF**

Configuration-file (also called ID-file) for ufraw.

### **IMG\_DEPTH**

Color depth of the generated image (8 or 16)

### **PREVIEW\_MODE**

If set to 1, resize images to `$PREVIEW_SIZE`.

### **PREVIEW\_SIZE**

If `PREVIEW_MODE=1` the converted images is at most `${PREVIEW_SIZE}x${PREVIEW_SIZE}` large.

## 4. Description

Convert original images in raw-format to tif. To pass options to ufraw, either use `UFRAW_OPTS`, or set `UFRAW_CONF` to an ufraw-configuration file. You can create such a file using the ufraw-gui. Please see the [ufraw](#)-documentation for details.